



## Green Pin<sup>®</sup> Fishing Dee Shackle FP

Dee shackle with square sunken hole  
screw pin (flush pin)



### Highlights

- ✓ No protruding parts so does not damage nets
- ✓ Assembled with sunken hole key
- ✓ Galvanization assures long-term durability
- ✓ Suitable for one-leg systems only
- ✓ Chamber in the shackle eye hides the screw thread and reduces wear

### Description

The Green Pin<sup>®</sup> Fishing Dee Shackle FP is a dee shackle with a square sunken hole screw pin (flush pin). The Green Pin<sup>®</sup> Fishing Dee Shackle FP contains no protruding parts so it does not damage or get caught in fishing nets. Another important feature is that the chamber in the shackle eye hides the screw thread and reduces wear of rope. Galvanization of the bow shackle ensures its long-term durability. The Green Pin<sup>®</sup> Fishing Dee Shackle FP is suitable for one-leg lifting systems only and can be assembled with the help of the Green Pin<sup>®</sup> Sunken Hole Key. The shackle is available in a range with a working load limit from 2 up to 17 ton.

### Product details

<b>Productcode</b>	G-4159
<b>Material</b>	bow and pin high tensile steel, Grade 6, quenched and tempered
<b>Safety factor</b>	MBL equals 6 x WLL
<b>Finish</b>	hot dipped galvanized
<b>Certification</b>	<b>2.1 2.2 3.1 MTCa CE</b>
<b>Standard</b>	EN 13889 and meets performance requirements of US Fed. Spec. RR-C-271, Grade A
<b>Note</b>	key for unscrewing the pin must be ordered separately



## Green Pin® Fishing Dee Shackle FP

### Technical specifications in millimeters

Article code	working load limit	A diameter bow	B diameter pin	C diameter eye	D width eye	E width inside	F length inside	G length	H length bolt	I size hole	Nett weight KG
GPGDVV13	2	13,5	16	34	13	22	43	81	51	11	0.29
GPGDVV16	3,25	16	19	40	16	27	51	97	63	11	0.60
GPGDVV19	4,75	19	22	46	19	31	59	112	74	11	0.98
GPGDVV22	6,5	22	25	52	22	36	73	134	85	13	1.26
GPGDVV25	8,5	25	28	59	25	43	85	154	99	13	2.14
GPGDVV28	9,5	28	32	66	28	47	90	167	110	17	2.58
GPGDVV32	12	32	35	72	32	51	94	180	122	17	3.49
GPGDVV38	17	38	42	88	38	60	127	230	145	17	6.22



## Green Pin® Fishing Dee Shackle FP

### Technical specifications in inches

Article code	A diameter bow (inch)	B diameter pin (inch)	C diameter eye (inch)	D width eye (inch)	E width inside (inch)	F length inside (inch)	G length (inch)	H length bolt (inch)	I size hole (inch)	Nett weight LBS
GPGDVV13	1/2	5/8	1 11/32	1/2	7/8	1 11/16	3 3/16	2	7/16	0.65
GPGDVV16	5/8	3/4	1 9/16	5/8	1 1/16	2	3 13/16	2 15/32	7/16	1.33
GPGDVV19	3/4	7/8	1 13/16	3/4	1 7/32	2 5/16	4 13/32	2 29/32	7/16	2.15
GPGDVV22	7/8	1	2 1/16	7/8	1 13/32	2 7/8	5 9/32	3 11/32	1/2	2.77
GPGDVV25	1	1 1/8	2 5/16	31/32	1 11/16	3 11/32	6 1/16	3 29/32	1/2	4.72
GPGDVV28	1 1/8	1 1/4	2 19/32	1 3/32	1 27/32	3 17/32	6 9/16	4 11/32	21/32	5.68
GPGDVV32	1 1/4	1 3/8	2 27/32	1 1/4	2	3 11/16	7 3/32	4 13/16	21/32	7.69
GPGDVV38	1 1/2	1 5/8	3 15/32	1 1/2	2 3/8	5	9 1/16	5 23/32	21/32	13.7



# Green Pin® Fishing Dee Shackle FP

Technical drawing

